

# SAFETY DATA SHEET

(Conforming to 1907/2006/EC)

**Product Name: DURA-WALK CLEANER SDS Reference** 

February 24th 2016 Version No. **Initial issue date Revision date** 

# SECTION 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND COMPANY

1.1 Product Name **Dura-Walk Cleaner** 

1.2 Relevant Use(s)/misuse(s) Cleaning Agent

The Garland Company UK Ltd

Telephone: 01452 330646 Unit 5 Glevum Works 1.3 SDS Supplier Mobile: 07887 923 121 Upton Street, Gloucester

Website: www.garlandukltd.co.uk GL1 4LA, UK

1.4 Emergency Telephone 44 (0)1452 330646 (Office hours) Competent person e-mail: trevor@rising-hsande.co.uk

# **SECTION 2. HAZARDS IDENTIFICATION**

#### 2.1 CLASSIFICATION OF THE MIXTURE

2.1.1 Classification according to Regulation (EC) No 1272/2008 (CLP/GHS)

Flam Liq. 2 H225 Skin Irrit. 2 H315 Skin Sen. 1 H317 STOT SE 3 H335

#### 2.1.2 Additional information

See section 16 for full text of H statements

#### **2.2 LABELLING ELEMENTS**

Pictogram(s):



Signal word

DANGER

Hazard HIGHLY FLAMMABLE LIQUID AND VAPOUR H225

statement(s) H315 CAUSES SKIN IRRITATION.

MAY CAUSE AN ALLERGIC SKIN REACTION. H317 H335 MAY CAUSE RESPIRATORY IRRITATION.

**Product Name: DURA-WALK CLEANER SDS Reference** 

P210 KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES. — NO **Precautionary** statement(s)

SMOKING.

H261 AVOID BREATHING FUME, GAS, MIST, VAPOURS, SPRAY P281 USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. P302+352 IF ON SKIN: WASH WITH PLENTY OF SOAP AND WATER

P304+340 IF INHALED: REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION

COMFORTABLE FOR BREATHING.

P308+313 IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION.

THE PREPARATION CONTAINS A SUBSTANCE THAT HAS A WORKPLACE

**EXPOSURE LIMIT (WEL)** 

2.3 OTHER HAZARDS

## **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

**Chemical Characterisation ORGANIC SUBSTANCE** 

**Chemical name** CAS-No **EINECS/ELINCS** Classification **Concentration METHYL** Flam. Liq. 2, H225; Skin **METHACRYLATE** 80-62-6 201-297-1 Irrit. 2, H315; Skin Sens. 1 >75% (REACH Reg. No. 01-2119452498-28-H317; STOT SE3 H335 XXXX)

## **SECTION 4. FIRST AID MEASURES**

4.1 Description of measures

Inhalation Remove casualty to fresh air and provide warmth and rest. . If necessary, seek medical

advice.

Skin contact Immediately clean areas of skin affected with plenty of water. If necessary, seek medical

advice.

Eye contact Wash out eye thoroughly with plenty of water until irritation subsides. If necessary (e.g.

irritation persists), consult an eye specialist/ophthalmologist.

Ingestion Allow the patient to vomit on his own accord. Give copious water to drink; If necessary,

seek medical advice.

4.2 Most important effects/symptoms

None known.

4.3 Immediate/special

treatment

Treatment as described above.

# **SECTION 5. FIRE FIGHTING MEASURES**

5.1 Extinguishing media To suit local surroundings (e.g. carbon dioxide, foam or chemical powder, water mist). Do

not use water jet.

5.2 Special hazards Hazardous decomposition products formed under fire conditions. Flash back possible over

considerable distance. Explosive reaction may occur on heating or burning. Burning

produces irritant fumes.

5.3 Advice for fire fighters Wear self-contained breathing apparatus.

# **DURA-WALK CLEANER**

**SDS Reference** 

## **SECTION 6. ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions Adhere to personal protective measures. Take necessary action to avoid static electricity

discharge (which might cause ignition of organic vapours). Use only

explosion-proof equipment. Keep away from sources of ignition- No smoking!

6.2 Environmental precautions

Do not allow to get into waste water or waterways; if this occurs, inform the relevant water

authority at once.

6.3 Methods and materials for

cleaning up

Adhere to personal protective measures. Take up with absorbent material, e.g. sand, sawdust, into tightly closed containers. Label container and dispose of as prescribed

6.4 Reference to other

sections

See section 8 for personal protective equipment.

#### **SECTION 7. HANDLING & STORAGE**

7.1 Precautions for safe handling

Handle in accordance with good hygiene and safety practice. Provide exhaust ventilation close to floor level. Vapours are heavier than air and can cause suffocation by reducing oxygen available for breathing. Open drum carefully as content may be under pressure. Use only in well-ventilated areas. Vapours may form explosive mixtures with air. Keep product and empty container away from heat and sources of ignition. Take measures to prevent the build up of electrostatic charge. Do not use sparking tools. Use only explosion-proof equipment.

7.2 Conditions for safe

storage

Store in original container. Never fill containers more than 80 % because aerial oxygen is necessary for stabilising. Store between 5 and 25 °C in a dry, well ventilated place away from sources of heat, ignition and direct sunlight. Keep in an area equipped with solvent resistant flooring. Do not store together with oxidizing and self-igniting products.

7.3. Specific end use(s) Cleaning agent

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**8.1 Controls parameters** Occupational Exposure Limits (WELs) have been assigned (EH40/2011).

STEL (15 min): 100 ppm 416 mg/m³ Data for methyl methacrylate

LTEL (8 hour 50 ppm 208 mg/m³ Data for methyl methacrylate

8.2 Exposure controls

**Engineering controls** Provide adequate ventilation (e.g. local exhaust ventilation).

Avoid the build-up of electrostatic charges.

**Personal protection** Observe normal standards for handling chemicals.

Do not eat, drink or smoke in the working area Wash hands before breaks and after work.

Those with a history of sensitisation should take appropriate protective measures

Wear personal protective equipment appropriate to the task (see below)

**Eye protection** Safety goggles (i.e. EN 166 approved)

**Skin protection** Solvent-proof gloves (also consider your own risk assessment; e.g.

breakthrough times, rates of diffusion and degradation, tasks

undertaken)

Respiratory protection

Other protection

If ventilation is insufficient, wear a NIOSH/OSHA respirator

Flame retardant antistatic protective clothing.

# **DURA-WALK CLEANER**

**SDS Reference** 

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Basic physical and chemical properties

**Physical form** Liquid Colour Colourless Odour acrylic-like **Odour threshold** 0.05 ppm

pН Not determined

°C Boiling pt / range 100.3 Melting pt / range -48 ٥С Flash point 11.5 °C

**Flammability** Not applicable Thermal decomposition Not applicable **Evaporation rate** Not applicable

**Explosion limits** Lower: 2.1 vol%; Upper: 12.5 vol%

**Auto-ignition temperature** Not determined

Decomposition temp. Not applicable

**Specific gravity** 0.94 g/cm3 @ 25°C Vapour pressure 38.7 mbar @ 20 °C

Vapour density Not applicable

**Viscosity** < 1 mPa.s @ 25°C

Water solubility insoluble

**Explosive properties** Not determined Oxidising properties Not determined

Partition coeff. Logoct/water 1.38

9.2 Other information None known

## **SECTION 10. STABILITY AND REACTIVITY**

10.1 Reactivity Hazardous polymerisation will not occur

10.2 Chemical stability Stable under normal conditions of handling.

10.3 Hazardous reactions Polymerisation occurs when exposed to white light, ultraviolet light or heat. Polymerisation

is a highly exothermic reaction and may generate sufficient heat to cause thermal

decomposition and/or rupture containers.

10.4 Conditions to avoid None known.

10.5 Incompatible material Avoid radical-forming starting agents, peroxides and reactive metals. Amines. Heavy

metal compounds. Oxidizing agents.

Reducing agents.

10.6 Hazardous

Not determined decomposition products

# **DURA-WALK CLEANER**

**SDS Reference** 

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

11.1 information on toxicological effects

**Acute toxicity** LD<sub>50</sub> rat (oral) >5000 mg/kg Data for methyl methacrylate

> LD<sub>50</sub> rabbit (derm) >5000 mg/kg Data for methyl methacrylate LC<sub>50</sub> rat (inhal) mg/l Data for methyl methacrylate 4632

**Dermal compatibility** No data available.

Mucous membrane No data available.

compatibility

Skin contact sensitization is possible.

**SECTION 12. ECOLOGICAL INFORMATION** 

12.1 Toxicity  $LC_{50}$ Pimephales promelas 243 - 275mg/l 96h, Data for methyl methacrylate

Daphnia magna 69 mg/l 48h Data for methyl methacrylate

Partially biodegradable. 12.2 Degradability

12.3 Bioaccumutive

**Further information** 

potential

Not determined

12.4 Mobility in soil Not determined

12.5 PBT/vPvB assessment Not determined

12.6 Other adverse effects Do not allow to get into waste water or waterways; if this occurs, inform the relevant

water authority at once.

## **SECTION 13. DISPOSAL CONSIDERATIONS**

13.1 Waste treatment measures

Advice on disposal In accordance with national and local authority regulations, e.g. The Hazardous Waste

(England & Wales) Regulations 2005. Treat empty containers in the same way as the

product or if possible wash out thoroughly and recycle.

SECTION 14. TRANSPORT INFORMATION

14.1 United Nations number UN1247

ADR, IMDG, IATA

14.2 Proper shipping name

ADR, IMDG, IATA

METHYL METHACRYLATE, MONOMER, STABILIZED

**14.3** Transport class(s)

ADR, IMDG, IATA

3

14.4 Packing group ADR, IMDG, IATA

Ш

14.5 Environmental hazards

ADR, IMDG, IATA

The product should not be marked as a marine pollutant

14.6 Special procedures ADR, IMDG, IATA

None known.

14.7 Transport in bulk

Not applicable

ADR, IMDG, IATA



# **DURA-WALK CLEANER**

**SDS Reference** 

#### **SECTION 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations

The product is classified in accordance with EC Regulation 1272/2008 (CLP), Other regulatory information and provisions are not applicable for this product.

15.2 Chemical safety assessment

Not applicable

## **SECTION 16. OTHER INFORMATION**

**Further information** 

Hazard statements referred to in sections 2-15

H225: Highly flammable liquid and vapour

H315: Causes skin irritation.

H317: May cause an allergic skin reaction H335: May cause respiratory irritation.

**Sources of data** Other suppliers' safety data sheets, EH40(2011)

**Date of issue** 24-02-2016

It is your own responsibility, to examine and confirm if this material meets or suits any regulation or restriction in your country or of your local authority. To the best of our knowledge, the information contained herein is correct and accurate. However, neither JSR nor any of its subsidiaries assumes any liability whatsoever for the correctness or accuracy of the information contained herein. The precautionary items were based on ordinary handling. In case of special handling, safety measures in compliance with the application and usage shall be executed. Final determination of safety and suitability of any material is the sole responsibility of the keeper and user. All materials may present unknown hazards, and therefore should be handled with adequate caution. Although certain hazards are described herein, they may not be the only hazards in relation to the products.

Data sheet prepared by Rising HS&E Services.